ELSEVIER

Journal of Organometallic Chemistry 573 (1999) 323

Journal of Organometallic Chemistry

Author Index of Volume 573

Adams, C.J., 134
Adams, R.D., 14
Ahlgrén, M., 225
Albano, V.G., 261
Amoroso, A.J., 247
An Ung, V., 202

Bachert, I., 47
Barkley, J.V., 254
Benfield, R.E., 299
Bergner, A., 156
Beswick, M.A., 247, 267
Braga, D., 73
Braunstein, P., 47
Brechin, E.K., 171
Bruce, M.I., 134
Büchner, K., 22
Burrows, A.D., 313

Calhorda, M.J., 121
Canty, A.J., 30
Cardin, C.J., 96
Cardin, D.J., 96
Carmen Ramirez de Arellano, M., 247
Castellari, C., 261
Champeil, E., 73
Choi, N., 313
Choi, Y.-Y., 189
Clegg, W., 96, 237, 305
Coles, S.J., 96
Constable, E.C., 101
Constantine, S.P., 96
Cotton, F.A., 78
Crofts, D., 292
Cunningham, D., 109

Davies, J.E., 171, 180
de Jong, B.J., 3
Ding, Y., 87
Duffy, N.W., 36
Dyson, P.J., 292

Eguchi, T., 254
Ernsting, J.-M., 3

Fabrizi de Biani, F., 47
Fanwick, P.E., 87
Farrar, D.H., 217
Feeder, N., 237
Filipponi, A., 299
Fox, M.A., 279

Gade, L.H., 156
Grepioni, F., 73
Groen, J.H., 3

Halcrow, M.A., 171
Harding, R.A., 254
Härkönen, A.U., 225
Harmer, C.N., 267
Hartl, F., 121
Heaton, B.T., 254
Hellmann, K.W., 156
Herrmann, M., 22
Housecroft, C.E., 101
Huang, W., 14
Humphrey, E.R., 202

Iapalucci, M.C., 261

Jin, H., 30

Kickelbick, G., 47
King, J.D., 272
Kort, D.A., 87

Lamb, E., 305
Laschi, F., 47
Leadbeater, N.E., 211
Lewis, J., 247
Li, C.-K., 247
Liddle, S.T., 305
Longoni, G., 254, 261

Maher, J.P., 202
Manning, A.R., 109
Manzi, L., 254
Martin Castro, A.M., 237
Mays, M.J., 180
McArdle, P.A., 109
McCart, M.K., 47
McCleverty, J.A., 202
McIndoe, J.S., 232
McPartlin, M., 156, 171, 313
McWhannell, M.A., 165
M. Draper, S., 73
Mingos, D.M.P., 313
Miyagi, K., 254
Monari, M., 261, 272
Morgante, N., 299
Murillo, C.A., 78

Nahar, S., 237
Nakayama, H., 254
Nicholson, B.K., 232
Nijhoff, J., 121
Nordlander, E., 272

O'Dwyer, L., 109

Pakkanen, T.A., 225
Paselli, A., 261
Penny, J.D., 30
Petrukhina, M.A., 78
Poë, A.J., 217
Pritzkow, H., 22
Pursiainen, J., 225

Raithby, P.R., 180, 237, 247, 267
Ramachandran, R., 217
Robinson, B.H., 36
Rodriguez-Martinez, L.M., 171
Rosair, G.M., 165
Rowe, J.R., 96

Sanderson, K.M., 292
Sappa, E., 139
Sarveswaran, K., 180
Schmid, G., 299
Schneider, A.G., 101
Schubert, U., 47
Scowen, I.J., 156, 171
Shields, G.P., 180, 237
Simpson, J., 36
Skelton, B.W., 134
Smeets, W.J.J., 3
Smith, A.K., 254
Snaith, R., 305
Spek, A.L., 3
Srinivasan, N., 292
Steiner, A., 254, 267
Stufkens, D.J., 121

Tarlton, S.V., 313
Teat, S.J., 96, 237
Teixidor, F., 165
Tombul, M., 267

Vahrenkamp, H., 67
van Leeuwen, P.W.N.M., 3
van Outersterp, J.W.M., 121
Veiros, L.F., 121
Vilar, R., 313
Viñas, C., 165
Vrieze, K., 3

Wade, K., 279
Wadepohl, H., 22
Walton, R.A., 87
Ward, M.D., 202
Welch, A.J., 165
Welton, T., 292
Wheatley, A.E.H., 305
White, A.H., 134
Wong, W.-T., 189
Wright, D.S., 267
Wu, W., 87

Zacchini, S., 261
Zanello, P., 47
Zhu, N., 67

PII S0022-328X(97)00248-9

ELSEVIER

Journal of Organometallic Chemistry 573 (1999) 324–329

Journal of Organometallic Chemistry

Subject Index of Volume 573

Ab initio computations
Deboronation of 9-substituted-*ortho*- and -*meta*-carboranes, 279
Acetonitrile complexes
Exceptional substitutional lability of the 'raft' cluster $Os_6(CO)_{20}NCMe$, 217
Alkyne bridged complexes
Reactions of the mixed-metal alkyne-bridged complexes $[(\eta^5\text{-}C_5H_5)(OC)_2M\{\mu\text{-}C_2(CO_2Me)_2\}Co(CO)_3]$ (M = Mo or W) with $Ph_2PC{\equiv}C'Bu$, 180
Alkyne complexes
Synthesis, structure and electrochemistry of ferrocenylethynylsilanes and their complexes with dicobalt octacarbonyl, 36
Alkynes
Complexes of transition metal carbonyls with alkynes. Closo- and nido-pentagonal bipyramidal clusters, 139
Alkynyls
Synthesis, structure and electrochemistry of ferrocenylethynylsilanes and their complexes with dicobalt octacarbonyl, 36
Allenyl
Allenyl–propargyl tautomerism at palladium(IV) and platinum(IV) centres, 30
Aluminium
Towards an understanding of the conjugate addition of organolithium reagents to α,β-unsaturated ketones: the isolation and solid-state structure of a monomeric lithium aluminate with very short agostic Li···HC interactions, 305
Aluminium chloride
Chloroaluminate(III) ionic liquid mediated synthesis of transition metal–cyclophane; complexes: their role as solvent and Lewis acid catalyst, 292
Arene clusters
Organometallic cluster complexes with face-capping arene ligands, 9. Hydrogenation of the side-chain in $[\{(C_5H_5)Co\}_3(\mu_3$-alkenylbenzene)]: synthesis and structure of the cluster complexes $[\{(C_5H_5)Co\}_3(\mu_3\text{-}\eta^2{:}\eta^2{:}\eta^2\text{-}C_6H_5\text{–}CHR^1\text{–}CH_2R^2)]$, 22
Azide
The reaction of azide ions, N_3^-, with metal carbonyl compounds; an electrospray mass spectrometry study, 232

2,2′-Bipyridine
Allenyl–propargyl tautomerism at palladium(IV) and platinum(IV) centres, 30
Bis(anisylimino)acenapthene ligand
Synthesis, characterization and reactivity of ionic palladium(II) complexes containing bidentate nitrogen ligands in a unidentate coordination mode, 3
Bisphosphines
A clash of cultures: metal carbonyl functionalized Werner complexes, 101
Bond distortions
Reactions of $TiCl_4$ with phosphines and alkylating reagents: an organometallic route to a titanium(II) cluster compound, 78
Buta-1,3-diene
Cyclo-addition of buta-1,3-dene to cluster-bound dicarbon: X-ray structure of $Ru_5(\mu_3\text{-}C_6H_6)(\mu_3\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{10}$, 134

Carbaborylphosphine ligand
The first examples of η^5-bonding of a carbaborylphosphine ligand to transition metals. Synthesis and characterisation of 7-$\{PPh_2AuPPh_3\}$-8-Ph-7,8-nido-$C_2B_9H_{10}$, 1-$\{PPh_2AuCl\}$-2-Ph-3-(*p*-cymene)-3,1,2-pseudocloso-$RuC_2B_9H_9$ and 1-$\{PPh_2AuCl\}$-2-Ph-3-$(\eta\text{-}C_5Me_5)$-3,1,2-pseudocloso-$RhC_2B_9H_9$, 165
carbon monoxide insertion
Synthesis, characterization and reactivity of ionic palladium(II) complexes containing bidentate nitrogen ligands in a unidentate coordination mode, 3
Carbonyl
Reaction of ruthenium carbonyl chloride with iridium tetracarbonyl anion. Synthesis, crystal structure and characterisation of $[Ru_2Ir_2H(CO)_{12}Cl]$: a heterometallic tetranuclear butterfly cluster with chloride bridge, 225
Synthesis and characterization of diphenyl-2-thienylphosphine derivatives of di- and tricobalt carbonyl complexes, 272
Synthesis, chemical characterisation and molecular structure of $[Ag_3\{\mu_3\text{-}Fe(CO)_4\}(dppm)_3][NO_3]$ and $[Au_3\{\mu\text{-}Fe(CO)_4\}(dppm)_2][Cl]$, 261
Carbonyl clusters
Control of the photochemistry of $Ru_3(CO)_{12}$ and $Os_3(CO)_{12}$ by variation of the solvent, 211
Carbonyl complexes
Exceptional substitutional lability of the 'raft' cluster $Os_6(CO)_{20}NCMe$, 217
Chlorine
Reaction of ruthenium carbonyl chloride with iridium tetracarbonyl anion. Synthesis, crystal structure and characterisation of $[Ru_2Ir_2H(CO)_{12}Cl]$: a heterometallic tetranuclear butterfly cluster with chloride bridge, 225
Cluster
Cluster build-up reactions via the ionic coupling of tetraosmium anions and the $[RhCp^*(NCMe)_3]^{2+}$ cation; the crystal and molecular structures of $[Os_4Rh(\mu\text{-}H)_3(MeC{=}NH)(CO)_{11}(\eta^5\text{-}Cp^*)]$, $[Os_4Rh(\mu\text{-}H)_2(CO)_{13}(\eta^5\text{-}Cp^*)]$ and $[Os_4Rh_2(\mu\text{-}H)_2(CO)_{11}(\eta^5\text{-}Cp^*)_2]$ ($Cp^*{=}C_5Me_5$), 237
Cyclo-addition of buta-1,3-dene to cluster-bound dicarbon: X-ray structure of $Ru_5(\mu_3\text{-}C_6H_6)(\mu_3\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{10}$, 134
Reaction of ruthenium carbonyl chloride with iridium tetracarbonyl anion. Synthesis, crystal structure and characterisation of $[Ru_2Ir_2H(CO)_{12}Cl]$: a heterometallic tetranuclear butterfly cluster with chloride bridge, 225
Reactions of $TiCl_4$ with phosphines and alkylating reagents: an organometallic route to a titanium(II) cluster compound, 78
Synthesis, chemical characterisation and molecular structure of $[Ag_3\{\mu_3\text{-}Fe(CO)_4\}(dppm)_3][NO_3]$ and $[Au_3\{\mu\text{-}Fe(CO)_4\}(dppm)_2][Cl]$, 261
Cluster complexes
Exceptional substitutional lability of the 'raft' cluster $Os_6(CO)_{20}NCMe$, 217

PII S0022-328X(97)00249-0

Clusters
Structural characterisation of the giant organometallic platinum cluster $Pt_{309}(phen^*)_{36}O_{30}$ using EXAFS, 299
Synthesis, characterization and molecular structures of some tetraosmium carbonyl clusters containing pyridine or phenanthroline type ligands, 189
The reaction of azide ions, N_3^-, with metal carbonyl compounds; an electrospray mass spectrometry study, 232
Cobalt
Organometallic cluster complexes with face-capping arene ligands, 9. Hydrogenation of the side-chain in $[\{(C_5H_5)Co\}_3(\mu_3$-alkenylbenzene)]: synthesis and structure of the cluster complexes $[\{(C_5H_5)Co\}_3(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-}C_6H_5\text{-}CHR^1\text{-}CH_2\text{-}R^2)]$, 22
Reactions of the mixed-metal alkyne-bridged complexes $[(\eta^5\text{-}C_5H_5)(OC)_2M\{\mu\text{-}C_2(CO_2Me)_2\}Co(CO)_3]$ (M = Mo or W) with $Ph_2PC{\equiv}C^tBu$, 180
Synthesis and characterization of diphenyl-2-thienylphosphine derivatives of di- and tricobalt carbonyl complexes, 272
Cobaltocenium salts
Inorganic–organometallic crystal synthesis. The role of charge-assisted C–H...O and C–H...Cl hydrogen bonds in crystalline $[(\eta^5\text{-}C_5H_5)_2Co][H_2PO_4]\cdot 3H_2O$ and $[(\eta^6\text{-}C_6H_5Me)_2\text{-}Cr][Cl]$, 73
Conjugate addition
Towards an understanding of the conjugate addition of organolithium reagents to α,β-unsaturated ketones: the isolation and solid-state structure of a monomeric lithium aluminate with very short agostic Li···HC interactions, 305
Copper
Syntheses, structures and magnetism of homoleptic complexes of 4-{pyrid-4-yloxy}-2,2,6,6-tetramethyl-1-piperidinoxyl, a new spin-labelled pyridine, 171
Crystal structure
Reaction of ruthenium carbonyl chloride with iridium tetracarbonyl anion. Synthesis, crystal structure and characterisation of $[Ru_2Ir_2H(CO)_{12}Cl]$: a heterometallic tetranuclear butterfly cluster with chloride bridge, 225
Reactions of the dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides. Part XVII. Isomerizations of triply bonded dirhenium complexes of the type $[Re_2X_3(\mu\text{-dppm})_2(CO)(CNXyl)(CNR)]^+$ (R = Xyl or *t*-Bu) with open bioctahedral structures to di-μ-chloro edge-sharing bioctahedral structures with no Re–Re bond, 87
Syntheses, structures and magnetism of homoleptic complexes of 4-{pyrid-4-yloxy}-2,2,6,6-tetramethyl-1-piperidinoxyl, a new spin-labelled pyridine, 171
Synthesis and characterization of diphenyl-2-thienylphosphine derivatives of di- and tricobalt carbonyl complexes, 272
Synthesis, chemical characterisation and molecular structure of $[Ag_3\{\mu_3\text{-}Fe(CO)_4\}(dppm)_3][NO_3]$ and $[Au_3\{\mu\text{-}Fe(CO)_4\}(dppm)_2][Cl]$, 261
Synthesis, structure and electrochemical studies of the first mixed-metal clusters with the P–N–P assembling ligands $(Ph_2P)_2NH$ (dppa), $(Ph_2P)_2N(CH_3)$ (dppam) and $(Ph_2P)_2N(CH_2)_3Si(OEt)_3$ (dppaSi), 47
Crystal structures
Cluster build-up reactions via the ionic coupling of tetraosmium anions and the $[RhCp^*(NCMe)_3]^{2+}$ cation; the crystal and molecular structures of $[Os_4Rh(\mu\text{-}H)_3(MeC{=}NH)(CO)_{11}\text{-}(\eta^5\text{-}Cp^*)]$, $[Os_4Rh(\mu\text{-}H)_2(CO)_{13}(\eta^5\text{-}Cp^*)]$ and $[Os_4Rh_2(\mu\text{-}H)_2(CO)_{11}(\eta^5\text{-}Cp^*)_2]$ ($Cp^*{=}C_5Me_5$), 237
Reactions of $TiCl_4$ with phosphines and alkylating reagents: an organometallic route to a titanium(II) cluster compound, 78
Cyanide bridging
Cyanide bridged trinuclear complexes with bent M–NC–Fe–CN–M and M–CN–Fe–NC–M arrangements—synthesis and physical properties, 67
Cyclic sulfone
Ring opening of 1,3-dithietane-1,1-dioxide by a triosmium cluster, 14
Cyclic voltammetry
Remarkably stable radical anions derived from clusters $[HOs_3(CO)_9(L)]$, L = *ortho*-metallated α-diimine: a spectroelectrochemical study and theoretical rationalization, 121
Cyclopentadienyl
Cluster build-up reactions via the ionic coupling of tetraosmium anions and the $[RhCp^*(NCMe)_3]^{2+}$ cation; the crystal and molecular structures of $[Os_4Rh(\mu\text{-}H)_3(MeC{=}NH)(CO)_{11}\text{-}(\eta^5\text{-}Cp^*)]$, $[Os_4Rh(\mu\text{-}H)_2(CO)_{13}(\eta^5\text{-}Cp^*)]$ and $[Os_4Rh_2(\mu\text{-}H)_2(CO)_{11}(\eta^5\text{-}Cp^*)_2]$ ($Cp^*{=}C_5Me_5$), 237
Organometallic cluster complexes with face-capping arene ligands, 9. Hydrogenation of the side-chain in $[\{(C_5H_5)Co\}_3(\mu_3$-alkenylbenzene)]: synthesis and structure of the cluster complexes $[\{(C_5H_5)Co\}_3(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-}C_6H_5\text{-}CHR^1\text{-}CH_2\text{-}R^2)]$, 22
Cyclophane
Chloroaluminate(III) ionic liquid mediated synthesis of transition metal–cyclophane; complexes: their role as solvent and Lewis acid catalyst, 292

Deboronation
Deboronation of 9-substituted-*ortho*- and -*meta*-carboranes, 279
Dibenzylideneacetone
Syntheses and structural characterisation of the compounds $[Pd(dba)L_2]$ (where L = PBz_3 and PPh_2Np) and the novel dimer $[Pd_2(\mu\text{-dba})(\mu\text{-}SO_2)(PBz_3)_2]$, 313
Dicobalt octacarbonyl
Synthesis, structure and electrochemistry of ferrocenylethynylsilanes and their complexes with dicobalt octacarbonyl, 36
Diffraction
The first examples of η^5-bonding of a carbaborylphosphine ligand to transition metals. Synthesis and characterisation of 7-$\{PPh_2AuPPh_3\}$-8-Ph-7,8-nido-$C_2B_9H_{10}$, 1-$\{PPh_2AuCl\}$-2-Ph-3-(*p*-cymene)-3,1,2-pseudocloso-$RuC_2B_9H_9$ and 1-$\{PPh_2AuCl\}$-2-Ph-3-$(\eta\text{-}C_5Me_5)$-3,1,2-pseudocloso-$RhC_2B_9H_9$, 165
Difunctional lithium amide
Synthesis of mixed-metal Li/M, M/M′ and mixed valence M^I/M^{III} chelate amido complexes of the heavy Group 13 metals (M = In, Tl), 156
α-Diimine complexes
Remarkably stable radical anions derived from clusters $[HOs_3(CO)_9(L)]$, L = *ortho*-metallated α-diimine: a spectroelectrochemical study and theoretical rationalization, 121
Dirhenium(II) complexes
Reactions of the dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides. Part XVII. Isomerizations of triply bonded dirhenium complexes of the type $[Re_2X_3(\mu\text{-dppm})_2(CO)(CNXyl)(CNR)]^+$ (R = Xyl or *t*-Bu) with open bioctahedral structures to di-μ-chloro edge-sharing bioctahedral structures with no Re–Re bond, 87
Distorted tetrahedral coordination sphere
Synthesis of mixed-metal Li/M, M/M′ and mixed valence M^I/M^{III} chelate amido complexes of the heavy Group 13 metals (M = In, Tl), 156
Dynamics in solid state
Solid state studies (X-ray and ^1H-, ^{13}C-NMR) on $(NMe_4)_{4-x}\text{-}[H_xNi_{12}(CO)_{21}]\cdot S$ ($x = 1$, $S = Me_2CO$; $x = 2$, S = 2THF), 254

Electrochemical studies
Synthesis, structure and electrochemical studies of the first mixed-metal clusters with the P–N–P assembling ligands $(Ph_2P)_2NH$ (dppa), $(Ph_2P)_2N(CH_3)$ (dppam) and $(Ph_2P)_2N(CH_2)_3Si(OEt)_3$ (dppaSi), 47
Electrochemistry
Bimetallic mixed oxidation state complexes derived by coupling nitrosyl- and oxo-molybdenum cores, 202
EPR spectra
Bimetallic mixed oxidation state complexes derived by coupling nitrosyl- and oxo-molybdenum cores, 202
EXAFS
Structural characterisation of the giant organometallic platinum cluster $Pt_{309}(phen^*)_{36}O_{30}$ using EXAFS, 299
Extended Hückel calculations
Remarkably stable radical anions derived from clusters $[HOs_3(CO)_9(L)]$, L = *ortho*-metallated α-diimine: a spectroelectrochemical study and theoretical rationalization, 121

Ferrocenylethynyl-silanes
Synthesis, structure and electrochemistry of ferrocenylethynylsilanes and their complexes with dicobalt octacarbonyl, 36
Fluxionality
The cleavage of coordinated organoisothiocyanates to give heteronuclear clusters containing organoisocyanides as ligands: Preparation, spectra and structure of $[\{Co(\eta\text{-}C_5H_5)\}_2\{Fe(CO)_2(PPh_3)\}(\mu_3\text{-}S)\{\mu_3\text{-}CNC(O)C_6H_5\}]$, $[\{Co(\eta\text{-}C_5H_5)\}_2\{Fe(CO)(CNC_6H_4Me\text{-}4)(PPh_3)\}(\mu_3\text{-}S)(\mu_3\text{-}CO)]$, and related complexes, 109

Gold
High nuclearity clusters of osmium and ruthenium containing the $[Au_2(Ph_2PCH_2PPh_2)]^{2+}$ cation; the X-ray structures of $[Os_4H_4(CO)_{11}Au_2(Ph_2PCH_2PPh_2)]$ and $[Ru_{10}C(CO)_{24}Au_2(Ph_2PCH_2PPh_2)]$, 247
Synthesis, chemical characterisation and molecular structure of $[Ag_3\{\mu_3\text{-}Fe(CO)_4\}(dppm)_3][NO_3]$ and $[Au_3\{\mu\text{-}Fe(CO)_4\}(dppm)_2][Cl]$, 261

^1H and ^{13}C solid state NMR
Solid state studies (X-ray and ^1H-, ^{13}C-NMR) on $(NMe_4)_{4-x}[H_xNi_{12}(CO)_{21}] \cdot S$ ($x = 1$, S = Me_2CO; $x = 2$, S = 2THF), 254
Heteronuclear clusters
The cleavage of coordinated organoisothiocyanates to give heteronuclear clusters containing organoisocyanides as ligands: Preparation, spectra and structure of $[\{Co(\eta\text{-}C_5H_5)\}_2\{Fe(CO)_2(PPh_3)\}(\mu_3\text{-}S)\{\mu_3\text{-}CNC(O)C_6H_5\}]$, $[\{Co(\eta\text{-}C_5H_5)\}_2\{Fe(CO)(CNC_6H_4Me\text{-}4)(PPh_3)\}(\mu_3\text{-}S)(\mu_3\text{-}CO)]$, and related complexes, 109
Hydrogen bonding
Inorganic–organometallic crystal synthesis. The role of charge-assisted C–H...O and C–H...Cl hydrogen bonds in crystalline $[(\eta^5\text{-}C_5H_5)_2Co][H_2PO_4] \cdot 3H_2O$ and $[(\eta^6\text{-}C_6H_5Me)_2Cr][Cl]$, 73

Interstitial hydride
Solid state studies (X-ray and ^1H-, ^{13}C-NMR) on $(NMe_4)_{4-x}[H_xNi_{12}(CO)_{21}] \cdot S$ ($x = 1$, S = Me_2CO; $x = 2$, S = 2THF), 254
Ionic liquid
Chloroaluminate(III) ionic liquid mediated synthesis of transition metal–cyclophane; complexes: their role as solvent and Lewis acid catalyst, 292
Iridium
Reaction of ruthenium carbonyl chloride with iridium tetracarbonyl anion. Synthesis, crystal structure and characterisation of $[Ru_2Ir_2H(CO)_{12}Cl]$: a heterometallic tetranuclear butterfly cluster with chloride bridge, 225
Iron
Synthesis, chemical characterisation and molecular structure of $[Ag_3\{\mu_3\text{-}Fe(CO)_4\}(dppm)_3][NO_3]$ and $[Au_3\{\mu\text{-}Fe(CO)_4\}(dppm)_2][Cl]$, 261
Isocyanide complexes
Reactions of the dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides. Part XVII. Isomerizations of triply bonded dirhenium complexes of the type $[Re_2X_3(\mu\text{-dppm})_2(CO)(CNXyl)(CNR)]^+$ (R = Xyl or *t*-Bu) with open bioctahedral structures to di-μ-chloro edge-sharing bioctahedral structures with no Re–Re bond, 87
μ_3-Isocyanides
The cleavage of coordinated organoisothiocyanates to give heteronuclear clusters containing organoisocyanides as ligands: Preparation, spectra and structure of $[\{Co(\eta\text{-}C_5H_5)\}_2\{Fe(CO)_2(PPh_3)\}(\mu_3\text{-}S)\{\mu_3\text{-}CNC(O)C_6H_5\}]$, $[\{Co(\eta\text{-}C_5H_5)\}_2\{Fe(CO)(CNC_6H_4Me\text{-}4)(PPh_3)\}(\mu_3\text{-}S)(\mu_3\text{-}CO)]$, and related complexes, 109
Isolobal relationships
Complexes of transition metal carbonyls with alkynes. Closo- and nido-pentagonal bipyramidal clusters, 139
Isomers
Reactions of the dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides. Part XVII. Isomerizations of triply bonded dirhenium complexes of the type $[Re_2X_3(\mu\text{-dppm})_2(CO)(CNXyl)(CNR)]^+$ (R = Xyl or *t*-Bu) with open bioctahedral structures to di-μ-chloro edge-sharing bioctahedral structures with no Re–Re bond, 87

Kinetics and mechanism
Exceptional substitutional lability of the 'raft' cluster $Os_6(CO)_{20}NCMe$, 217

Lattice contraction
Structural characterisation of the giant organometallic platinum cluster $Pt_{309}(phen^*)_{36}O_{30}$ using EXAFS, 299
Lithium
The molecular structure and one-pot synthesis of $[Li(thf)_3 \cdot Sn(SiMe_3)_3]$, 96
Towards an understanding of the conjugate addition of organolithium reagents to α,β-unsaturated ketones: the isolation and solid-state structure of a monomeric lithium aluminate with very short agostic Li···HC interactions, 305

Meta-carborane
Deboronation of 9-substituted-*ortho*- and -*meta*-carboranes, 279
Metal–arene complexes
Chloroaluminate(III) ionic liquid mediated synthesis of transition metal–cyclophane; complexes: their role as solvent and Lewis acid catalyst, 292
Metal carbonyl clusters
Complexes of transition metal carbonyls with alkynes. Closo- and nido-pentagonal bipyramidal clusters, 139
Metal exchange
Synthesis of mixed-metal Li/M, M/M′ and mixed valence M^I/M^{III} chelate amido complexes of the heavy Group 13 metals (M = In, Tl), 156
Metallacyclic complexes
Complexes of transition metal carbonyls with alkynes. Closo- and nido-pentagonal bipyramidal clusters, 139
Metal–metal charge transfer
Cyanide bridged trinuclear complexes with bent M–NC–Fe–CN–M and M–CN–Fe–NC–M arrangements—synthesis and physical properties, 67

Mixed metal amides
Synthesis of mixed-metal Li/M, M/M′ and mixed valence M^{I}/M^{III} chelate amido complexes of the heavy Group 13 metals (M = In, Tl), 156
Mixed metal clusters
Synthesis, structure and electrochemical studies of the first mixed-metal clusters with the P–N–P assembling ligands $(Ph_2P)_2NH$ (dppa), $(Ph_2P)_2N(CH_3)$ (dppam) and $(Ph_2P)_2N(CH_2)_3Si(OEt)_3$ (dppaSi), 47
Mixed metal complexes
Reactions of the mixed-metal alkyne-bridged complexes $[(\eta^5\text{-}C_5H_5)(OC)_2M\{\mu\text{-}C_2(CO_2Me)_2\}Co(CO)_3]$ (M = Mo or W) with $Ph_2PC{\equiv}C^tBu$, 180
Mixed oxidation state
Bimetallic mixed oxidation state complexes derived by coupling nitrosyl- and oxo-molybdenum cores, 202
Molybdenum
Bimetallic mixed oxidation state complexes derived by coupling nitrosyl- and oxo-molybdenum cores, 202
Reactions of the mixed-metal alkyne-bridged complexes $[(\eta^5\text{-}C_5H_5)(OC)_2M\{\mu\text{-}C_2(CO_2Me)_2\}Co(CO)_3]$ (M = Mo or W) with $Ph_2PC{\equiv}C^tBu$, 180
Multinuclear NMR
Deboronation of 9-substituted-*ortho*- and -*meta*-carboranes, 279

Negative ion electrospray mass spectrometry
The reaction of azide ions, N_3^-, with metal carbonyl compounds; an electrospray mass spectrometry study, 232
Nickel
Syntheses, structures and magnetism of homoleptic complexes of 4-{pyrid-4-yloxy}-2,2,6,6-tetramethyl-1-piperidinoxyl, a new spin-labelled pyridine, 171
Nickel carbonyl clusters
Solid state studies (X-ray and ^1H-, ^{13}C-NMR) on $(NMe_4)_{4-x}[H_xNi_{12}(CO)_{21}] \cdot S$ ($x = 1$, S = Me_2CO; $x = 2$, S = 2THF), 254
Nido-carborane anion
Deboronation of 9-substituted-*ortho*- and -*meta*-carboranes, 279
Nitrosyl
Bimetallic mixed oxidation state complexes derived by coupling nitrosyl- and oxo-molybdenum cores, 202
NMR spectroscopy
The first examples of η^5-bonding of a carbaborylphosphine ligand to transition metals. Synthesis and characterisation of 7-{PPh_2AuPPh_3}-8-Ph-7,8-nido-$C_2B_9H_{10}$, 1-{PPh_2AuCl}-2-Ph - 3 - (*p* - cymene) - 3,1,2 - pseudocloso - $RuC_2B_9H_9$ and 1-{PPh_2AuCl}-2-Ph-3-(η-C_5Me_5)-3,1,2-pseudocloso-$RhC_2B_9H_9$, 165

Oligopyridines
A clash of cultures: metal carbonyl functionalized Werner complexes, 101
Organic syntheses
Complexes of transition metal carbonyls with alkynes. Closo- and nido-pentagonal bipyramidal clusters, 139
Organoisocyanides
The cleavage of coordinated organoisothiocyanates to give heteronuclear clusters containing organoisocyanides as ligands: Preparation, spectra and structure of [{Co(η - C_5H_5)}$_2${Fe$(CO)_2(PPh_3)$}(μ_3 - S){μ_3 - CNC(O)C_6H_5}], [{Co(η-C_5H_5)}$_2${Fe(CO)(CNC_6H_4Me-4)(PPh_3)}(μ_3-S)(μ_3-CO)], and related complexes, 109
Organoisothiocyanates
The cleavage of coordinated organoisothiocyanates to give heteronuclear clusters containing organoisocyanides as ligands: Preparation, spectra and structure of [{Co(η - C_5H_5)}$_2${Fe$(CO)_2(PPh_3)$}(μ_3 - S){μ_3 - CNC(O)C_6H_5}], [{Co(η-C_5H_5)}$_2${Fe(CO)(CNC_6H_4Me-4)(PPh_3)}(μ_3-S)(μ_3-CO)], and related complexes, 109
Organolithium
Reactions of organolithium complexes with elemental selenium: insertion producing [PhC≡CSeLi · TMEDA · THF] **1** and cyclisation producing [{PhC}$_4$Se] **2** (TMEDA = [Me_2NCH_2]$_2$), 267
Organoselenides
Reactions of organolithium complexes with elemental selenium: insertion producing [PhC≡CSeLi · TMEDA · THF] **1** and cyclisation producing [{PhC}$_4$Se] **2** (TMEDA = [Me_2NCH_2]$_2$), 267
Ortho-carborane
Deboronation of 9-substituted-*ortho*- and -*meta*-carboranes, 279
Osmium
Cluster build-up reactions via the ionic coupling of tetraosmium anions and the $[RhCp^*(NCMe)_3]^{2+}$ cation; the crystal and molecular structures of $[Os_4Rh(\mu\text{-}H)_3(MeC{=}NH)(CO)_{11}(\eta^5\text{-}Cp^*)]$, $[Os_4Rh(\mu\text{-}H)_2(CO)_{13}(\eta^5\text{-}Cp^*)]$ and $[Os_4Rh_2(\mu\text{-}H)_2(CO)_{11}(\eta^5\text{-}Cp^*)_2]$ (Cp^*=C_5Me_5), 237
Control of the photochemistry of $Ru_3(CO)_{12}$ and $Os_3(CO)_{12}$ by variation of the solvent, 211
High nuclearity clusters of osmium and ruthenium containing the $[Au_2(Ph_2PCH_2PPh_2)]^{2+}$ cation; the X-ray structures of $[Os_4H_4(CO)_{11}Au_2(Ph_2PCH_2PPh_2)]$ and $[Ru_{10}C(CO)_{24}Au_2(Ph_2PCH_2PPh_2)]$, 247
Synthesis, characterization and molecular structures of some tetraosmium carbonyl clusters containing pyridine or phenanthroline type ligands, 189
The reaction of azide ions, N_3^-, with metal carbonyl compounds; an electrospray mass spectrometry study, 232
Osmium clusters
Remarkably stable radical anions derived from clusters $[HOs_3(CO)_9(L)]$, L = *ortho*-metallated α-diimine: a spectroelectrochemical study and theoretical rationalization, 121
Osmium complexes
Exceptional substitutional lability of the 'raft' cluster $Os_6(CO)_{20}NCMe$, 217
Oxidative addition
Allenyl–propargyl tautomerism at palladium(IV) and platinum(IV) centres, 30
Oxomolybdenum(V)
Bimetallic mixed oxidation state complexes derived by coupling nitrosyl- and oxo-molybdenum cores, 202

Palladium
Allenyl–propargyl tautomerism at palladium(IV) and platinum(IV) centres, 30
Syntheses and structural characterisation of the compounds [Pd(dba)L_2] (where L = PBz_3 and PPh_2Np) and the novel dimer $[Pd_2(\mu\text{-dba})(\mu\text{-}SO_2)(PBz_3)_2]$, 313
Syntheses, structures and magnetism of homoleptic complexes of 4-{pyrid-4-yloxy}-2,2,6,6-tetramethyl-1-piperidinoxyl, a new spin-labelled pyridine, 171
palladium(II)
Synthesis, characterization and reactivity of ionic palladium(II) complexes containing bidentate nitrogen ligands in a unidentate coordination mode, 3
P-donor substituent complexes
Exceptional substitutional lability of the 'raft' cluster $Os_6(CO)_{20}NCMe$, 217
Phenanthroline
Synthesis, characterization and molecular structures of some tetraosmium carbonyl clusters containing pyridine or phenanthroline type ligands, 189
Phosphido complexes
Reactions of the mixed-metal alkyne-bridged complexes $[(\eta^5\text{-}C_5H_5)(OC)_2M\{\mu\text{-}C_2(CO_2Me)_2\}Co(CO)_3]$ (M = Mo or W) with $Ph_2PC{\equiv}C^tBu$, 180
Phosphido-methylthio-lato
Cyclo-addition of buta-1,3-dene to cluster-bound dicarbon: X-ray structure of $Ru_5(\mu_3\text{-}C_6H_6)(\mu_3\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{10}$, 134

Phosphine
High nuclearity clusters of osmium and ruthenium containing the $[Au_2(Ph_2PCH_2PPh_2)]^{2+}$ cation; the X-ray structures of $[Os_4H_4(CO)_{11}Au_2(Ph_2PCH_2PPh_2)]$ and $[Ru_{10}C(CO)_{24}Au_2(Ph_2PCH_2PPh_2)]$, 247
Synthesis, chemical characterisation and molecular structure of $[Ag_3\{\mu_3\text{-}Fe(CO)_4\}(dppm)_3][NO_3]$ and $[Au_3\{\mu\text{-}Fe(CO)_4\}(dppm)_2][Cl]$, 261
Phosphine complexes
Syntheses and structural characterisation of the compounds $[Pd(dba)L_2]$ (where $L = PBz_3$ and PPh_2Np) and the novel dimer $[Pd_2(\mu\text{-dba})(\mu\text{-}SO_2)(PBz_3)_2]$, 313
Photochemistry
Control of the photochemistry of $Ru_3(CO)_{12}$ and $Os_3(CO)_{12}$ by variation of the solvent, 211
Platinum
Allenyl–propargyl tautomerism at palladium(IV) and platinum(IV) centres, 30
Structural characterisation of the giant organometallic platinum cluster $Pt_{309}(phen^*)_{36}O_{30}$ using EXAFS, 299
P–N–P assembling ligands
Synthesis, structure and electrochemical studies of the first mixed-metal clusters with the P–N–P assembling ligands $(Ph_2P)_2NH$ (dppa), $(Ph_2P)_2N(CH_3)$ (dppam) and $(Ph_2P)_2N(CH_2)_3Si(OEt)_3$ (dppaSi), 47
Polyfunctional phosphine
Synthesis and characterization of diphenyl-2-thienylphosphine derivatives of di- and tricobalt carbonyl complexes, 272
Propargyl
Allenyl–propargyl tautomerism at palladium(IV) and platinum(IV) centres, 30
Pyridyl ligands
Synthesis, characterization and molecular structures of some tetraosmium carbonyl clusters containing pyridine or phenanthroline type ligands, 189

Radical anions
Remarkably stable radical anions derived from clusters $[HOs_3(CO)_9(L)]$, L = *ortho*-metallated α-diimine: a spectro-electrochemical study and theoretical rationalization, 121
Redox reactions
Cyanide bridged trinuclear complexes with bent M–NC–Fe–CN–M and M–CN–Fe–NC–M arrangements—synthesis and physical properties, 67
Rhenium complexes
Reactions of the dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides. Part XVII. Isomerizations of triply bonded dirhenium complexes of the type $[Re_2X_3(\mu\text{-dppm})_2(CO)(CNXyl)(CNR)]^+$ (R = Xyl or *t*-Bu) with open bioctahedral structures to di-μ-chloro edge-sharing bioctahedral structures with no Re–Re bond, 87
Rhodium
Cluster build-up reactions via the ionic coupling of tetraosmium anions and the $[RhCp^*(NCMe)_3]^{2+}$ cation; the crystal and molecular structures of $[Os_4Rh(\mu\text{-}H)_3(MeC{=}NH)(CO)_{11}(\eta^5\text{-}Cp^*)]$, $[Os_4Rh(\mu\text{-}H)_2(CO)_{13}(\eta^5\text{-}Cp^*)]$ and $[Os_4Rh_2(\mu\text{-}H)_2(CO)_{11}(\eta^5\text{-}Cp^*)_2]$ ($Cp^*{=}C_5Me_5$), 237
Ring opening
Ring opening of 1,3-dithietane-1,1-dioxide by a triosmium cluster, 14
Ruthenium
Control of the photochemistry of $Ru_3(CO)_{12}$ and $Os_3(CO)_{12}$ by variation of the solvent, 211
Cyclo-addition of buta-1,3-dene to cluster-bound dicarbon: X-ray structure of $Ru_5(\mu_3\text{-}C_6H_6)(\mu_3\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{10}$, 134
High nuclearity clusters of osmium and ruthenium containing the $[Au_2(Ph_2PCH_2PPh_2)]^{2+}$ cation; the X-ray structures of $[Os_4H_4(CO)_{11}Au_2(Ph_2PCH_2PPh_2)]$ and $[Ru_{10}C(CO)_{24}Au_2(Ph_2PCH_2PPh_2)]$, 247
Reaction of ruthenium carbonyl chloride with iridium tetracarbonyl anion. Synthesis, crystal structure and characterisation of $[Ru_2Ir_2H(CO)_{12}Cl]$: a heterometallic tetranuclear butterfly cluster with chloride bridge, 225
The reaction of azide ions, N_3^-, with metal carbonyl compounds; an electrospray mass spectrometry study, 232

Selenophene
Reactions of organolithium complexes with elemental selenium: insertion producing [PhC≡CSeLi · TMEDA · THF] **1** and cyclisation producing $[\{PhC\}_4Se]$ **2** (TMEDA = $[Me_2NCH_2]_2$), 267
Short-bite ligands
Synthesis, structure and electrochemical studies of the first mixed-metal clusters with the P–N–P assembling ligands $(Ph_2P)_2NH$ (dppa), $(Ph_2P)_2N(CH_3)$ (dppam) and $(Ph_2P)_2N(CH_2)_3Si(OEt)_3$ (dppaSi), 47
Silicon
The molecular structure and one-pot synthesis of $[Li(thf)_3 \cdot Sn(SiMe_3)_3]$, 96
Silver
Synthesis, chemical characterisation and molecular structure of $[Ag_3\{\mu_3\text{-}Fe(CO)_4\}(dppm)_3][NO_3]$ and $[Au_3\{\mu\text{-}Fe(CO)_4\}(dppm)_2][Cl]$, 261
Solid-state structure
Towards an understanding of the conjugate addition of organolithium reagents to α,β-unsaturated ketones: the isolation and solid-state structure of a monomeric lithium aluminate with very short agostic Li···HC interactions, 305
Spectroelectrochemistry
Remarkably stable radical anions derived from clusters $[HOs_3(CO)_9(L)]$, L = *ortho*-metallated α-diimine: a spectro-electrochemical study and theoretical rationalization, 121
Spin-label
Syntheses, structures and magnetism of homoleptic complexes of 4-{pyrid-4-yloxy}-2,2,6,6-tetramethyl-1-piperidinoxyl, a new spin-labelled pyridine, 171
Structural analysis
Inorganic–organometallic crystal synthesis. The role of charge-assisted C–H...O and C–H...Cl hydrogen bonds in crystalline $[(\eta^5\text{-}C_5H_5)_2Co][H_2PO_4]\cdot 3H_2O$ and $[(\eta^6\text{-}C_6H_5Me)_2Cr][Cl]$, 73
Sulphur dioxide complexes
Syntheses and structural characterisation of the compounds $[Pd(dba)L_2]$ (where $L = PBz_3$ and PPh_2Np) and the novel dimer $[Pd_2(\mu\text{-dba})(\mu\text{-}SO_2)(PBz_3)_2]$, 313
Superexchange
Syntheses, structures and magnetism of homoleptic complexes of 4-{pyrid-4-yloxy}-2,2,6,6-tetramethyl-1-piperidinoxyl, a new spin-labelled pyridine, 171
Synchrotron
The molecular structure and one-pot synthesis of $[Li(thf)_3 \cdot Sn(SiMe_3)_3]$, 96

Tin
The molecular structure and one-pot synthesis of $[Li(thf)_3 \cdot Sn(SiMe_3)_3]$, 96
Titanium complexes
Reactions of $TiCl_4$ with phosphines and alkylating reagents: an organometallic route to a titanium(II) cluster compound, 78

Ti–Ti bonding
Reactions of $TiCl_4$ with phosphines and alkylating reagents: an organometallic route to a titanium(II) cluster compound, 78
Trinuclear complexes
Cyanide bridged trinuclear complexes with bent M–NC–Fe–CN–M and M–CN–Fe–NC–M arrangements—synthesis and physical properties, 67
Triosmium carbonyl clusters
A clash of cultures: metal carbonyl functionalized Werner complexes, 101
Triosmium cluster
Ring opening of 1,3-dithietane-1,1-dioxide by a triosmium cluster, 14
Tris(pyrazol-1-yl)borate
Allenyl–propargyl tautomerism at palladium(IV) and platinum(IV) centres, 30
Tungsten
Reactions of the mixed-metal alkyne-bridged complexes $[(\eta^5\text{-}C_5H_5)(OC)_2M\{\mu\text{-}C_2(CO_2Me)_2\}Co(CO)_3]$ (M = Mo or W) with $Ph_2PC{\equiv}C^tBu$, 180
α,β-Unsaturated ketone
Towards an understanding of the conjugate addition of organolithium reagents to α,β-unsaturated ketones: the isolation and solid-state structure of a monomeric lithium aluminate with very short agostic Li···HC interactions, 305
XANES
Structural characterisation of the giant organometallic platinum cluster $Pt_{309}(phen^*)_{36}O_{30}$ using EXAFS, 299
X-ray structure
High nuclearity clusters of osmium and ruthenium containing the $[Au_2(Ph_2PCH_2PPh_2)]^{2+}$ cation; the X-ray structures of $[Os_4H_4(CO)_{11}Au_2(Ph_2PCH_2PPh_2)]$ and $[Ru_{10}C(CO)_{24}\text{-}Au_2(Ph_2PCH_2PPh_2)]$, 247
X-ray structures
Solid state studies (X-ray and ^1H-, ^{13}C-NMR) on $(NMe_4)_{4-x}\text{-}[H_xNi_{12}(CO)_{21}] \cdot S$ ($x = 1$, $S = Me_2CO$; $x = 2$, $S = 2THF$), 254